

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

August 27, 2013

WELL WORK PERMIT

Horizontal Well

This permit, API Well Number: 47-10501369, issued to HARD ROCK EXPLORATION, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: HR-496A

Farm Name: MCCLUNG, KENNITH & ELIKA

API Well Number: 47-10501369

Permit Type: Horizontal Well

Date Issued: 08/27/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6-20, which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. Pursuant to 35 CSR § 4-19.1.a, at the request of the surface owner all water wells or springs within 1000 feet of the proposed well that are actually utilized for human consumption, domestic animals or other general use shall be sampled and analyzed.
- 3. Pursuant to 35 CSR § 4-19.1.c, if the operator is unable to sample and analyze any water well or spring within one thousand (1,000) feet of the permitted well location, the Office of Oil and Gas requires the operator to sample, at a minimum, one water well or spring located between one thousand (1,000) feet and two thousand (2,000) feet of the permitted well location.
- 4. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 5. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 6. During the surface casing and cementing process, in the event cement does not return to the surface, or any other casing string that is permitted to circulate cement to the surface and does not return to the surface, the oil and gas inspector shall be notified within twenty-four (24) hours.
- 7. Well work activities shall not constitute a hazard to the safety of persons.

WW - 2B (Rev. 8/10)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION


			105	06	271
1) Well Operator:	Hard Rock Exploration, Inc.	494464205	Wirt	Spring Creek	Burning Springs, WV 7.5'
		Operator ID	County	District	Quadrangle
2) Operator's Well	Number: HR-496	;	3) Elevation: <u>-</u>	855'	
4) Well Type: (a) C	Dil or Gas X				
(b) If	Gas: Production X / Under	ground Stor	age		
	Deep/ Sha	allow X	_		
5) Proposed Target Formation(s): Lower Huron Proposed Target Depth: 4385' TVD 6) Proposed Total Depth: 8375' TMD Feet Formation at Proposed Total Depth: Lower Huron 7) Approximate fresh water strata depths: Pittsburgh sand estimated at 600'-650' 8) Approximate salt water depths: 1825'					385' TVD er Huron
9) Approximate co	al seam depths: None noted in of	ffset wells			
10) Approximate v	oid depths,(coal, Karst, other): N	one			
11) Does land con	tain coal seams tributary to active	e mine? No	ס		
12) Describe propos	sed well work and fracturing method	s in detail (at	tach additional	sheets if nee	eded)
Drill 12 3/8" hole on air	r/ Freshwater foam; Drill 8 3/4" hole on a	Air/Freshwater	foam/Fluid; Dril	Bottom hole of	on Air.
KOP-3785', Land curv	re-4735'MD/ 4385'TVD , 4250'VS, 8375	5'TMD			
Run 4.5" casing with open	hole packer completion (Depths noted at bo	ttom) -Set packe	ers, cement on top	packer, Fracture	with Nitrogen gas

CASING AND TUBING PROGRAM 13)

TYPE S	SPECIFIC	<u>ATIONS</u>		FOOTAGE	INTERVALS	<u>CEMENT</u>	
	<u>Size</u>	<u>Grade</u>	Weight per ft	For Drilling	Left in Well	Fill -up (Cu. Ft.)	
Conductor	13 3/8"	LS	37#	30'	30'	NA	
Fresh Water	9 5/8"	LS	26#	745'	745'	370cu-ft CTS	
Coal							
Intermediate	7"	LS	19#	2135'	2135'	479cu-ft QTS	
Production	4 1/2"	N-80	11.6#	8375'	8375'	130cuft ^(C)	10/1
Tubing						400	
Liners						1 m2 00	2019
Packers: Kind	d: Mecha	anical Set	open hole packer		CK	acker at 2450' Dump 130cuft cmt	· C
Size	es: 4.5" X	6 5/8" 10k	diff Seal			6 menta	A Pro
Depths Set Place 17stg open hole packer system from 4225'MD- 8375' (244' spacing per stg) , 17th packer at 2450' Dump 130cuft cmt				Oloci			

NOTICE

WELLBORE GRAPH HARD ROCK EXPLORATION WELL NO. HR-496



HARD ROCK EXPLORATION, INC. 1244 MARTINS BRANCH ROAD CHARLESTON, WV 25312

7-25-13



WW-2	2A
(Rev.	6-07)

1). Date: July 24, 2013

2.) Operator's Well Number HR-496

State County Permit

3.) API Well No.: 47- 105 - 0 (3 69)

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE AND APPLICATION FOR A WELL WORK PERMIT

	# 650.
4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name Kennith & Elika McClung	Name None
Address 805 Fairview Ridge	Address
Palestine, WV 26160	
(b) Name	(b) Coal Owner(s) with Declaration
Address	Name Kennith & Elika McClung
	Address 805 Fairview Ridge
	Palestine, WV 26160
(c) Name	Name
Address	Address
6) Inspector Joe Taylor //	(c) Coal Lessee with Declaration
Address 497 Claylick Road	Name None
Ripley, WV 25271	Address
Telephone (304)380-7469	
•	S NAMED ABOVE TAKE NOTICE THAT:
	nuing contract or contracts by which I hold the right to extract oil and gas
OR	
	ter 22, Article 6, Section 8(d) of the Code of West Virginia (see page 2)
	22-6 of the West Virginia Code I have served copies of this notice and
	ocuments pages 1 through on the above named parties by:
Personal Service (Affidavi	
X Certified Mail (Postmarked	
Publication (Notice of Pub	
issued under this application.	6 and 35 CSR 4, and I agree to the terms and conditions of any permit
	personally examined and am familiar with the information submitted on
	nat based on my inquiry of those individuals immediately responsible for
obtaining the information, I believe that the inform	
	alties for submitting false information, including the possibility of fine and
imprisonment	
NOTARY PUBLIC OFFICIAL SEAL Well Oper JOAN L. BEANE	All a
State of West Virginia	Montes arises
My Commission Evoires Sent & 2022	Executive Vice President
1244 MARTINS BRANCH RO. CHARLESTON, WV 25312 Address	1244 Martins Branch Road
Telephone	Charleston, WV 25312
Subscribed and sworn before me this 29th of	
0- 4B	The state of the s
My Commission Expires Sept. 6.202	Notary Public
The Office of Oil and Gas processes your personal inform	nation, such as name, address and phone number, as a part of our regulatory duties.

Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal

information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyofficer@wv.gov

WW-9	
(5/13)	

	Page	of
API Number 47 - 105	-	
Operator's Well	No. HR-496	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Hard Rock Exploration, Inc. OP Code 494464205
Watershed (HUC 10) Buck Run of Spring Creek Quadrangle Burning Springs, WV 7.5'
Elevation 855' County Wirt District Spring Creek
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No Will a pit be used for drill cuttings? Yes X No If so, please describe anticipated pit waste: Drill Cuttings Will a synthetic liner be used in the pit? Yes X No If so, what ml.? 10 or greater 20 MIC.
Proposed Disposal Method For Treated Pit Wastes:
Land Application Underground Injection (UIC Permit Number UIC2D0190460, 3416729685 Reuse (at API Number 8704669, 3502970, 3502987, 3502999, 8704700, 8704698, 8704703, 8704713 - Well will be noted in DMR) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain
Will closed loop system be used? No
Drilling medium anticipated for this well? Air, freshwater, oil based, etc. Air
-If oil based, what type? Synthetic, petroleum, etc
Additives to be used in drilling medium? Soap, KCl, or Clay Stay
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Leave in pit
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) Lime
-Landfill or offsite name/permit number?
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature Monitoria Course
Company Official (Typed Name) Monica Stephens Concided
Company Official Title Executive Vice President WV Dept. of Environmental Protection
Subscribed and sworn before me this 29th day of July , 2013 Notary Public OFFICIAL SEAL JOAN L. BEANE State of West Virginia My Commission Expires Sept. 6, 2022 My commission expires Sept. 6, 2022

Form WW-9		Operator'	s Well No. HR-496
Proposed Revegetation Tr	reatment: Acres Disturbed 1.22	Prevegetation	_{трН} 5.5
Lime 3	Tons/acre or to correct to pl	_H 6.5	
Fertilizer (10-20-	500	os/acre (500 lbs minimum)	
Mulch Hay/Straw	/Paper (Paper at 1600 lbs/acre) Tons/	•	
		ed Mixtures	
	Area I		Area II
Seed Type	lbs/acre	Seed Type Pod Top	lbs/acre 15
Red Top	15	Red Top	
Orchard Gras		Orchard Grass	25
Perennial Rye/Crims	son Red Clover 25 Each		n Red Clover 25 Each
Annual Rye	40	Annual Rye	40
/			
Title: Lospade		Date:	
Field Reviewed?	() No	Receive
			WV Dept. of Environmental Protec

